




TECTUBI RACCORDI S.p.A.



NUCLEAR
REFERENCE LIST



TECTUBI RACCORDI S.p.A.

NUCLEAR REFERENCE LIST

YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
2016	MANGIAROTTI S.P.A. REPLACEMENT STEAM GENERATOR TO WESTINGHOUSE ELECTRIQUE FRANCIA	ITALY	FRANCE	NUCLEAR POWER	CARBON STEEL	ASTM A234 WPB	FITTINGS Ø from 219,1 to 273,1 mm W.th from 8,18 to 9,27mm	NUCLEAR POWER PLANT
2016	CHINA NUCLEAR ENERGY INDUSTRY CORPORATION TIANWAN NUCLEAR POWER	CHINA	CAMEROON	NUCLEAR POWER	CARBON STEEL	P280GH	HEADER Ø 812,8 mm W.th 46 mm and test material for welding spec.	NUCLEAR POWER PLANT
2016	EDF - UTO AMELIORATION PARK CENTRALES NUCLEAIRES EDF	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL	P280GH	FITTINGS Ø from 273,1 to 406,4 mm W.th from 15,09 to 21,44 mm	NUCLEAR POWER PLANT
2016	EDF - UTO AMELIORATION PARK CENTRALES NUCLEAIRES EDF	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL	P265GH RCCM-N3	FITTINGS Ø from 323,9 to 610 mm W.th from 6,35 to 8,8 mm	NUCLEAR POWER PLANT
2016	EDF - UTO AMELIORATION PARK CENTRALES NUCLEAIRES EDF	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL	Z2CND18.12 Z2CN18.10	FITTINGS PIPES Ø from 33,4 to 356,6 mm W.th from 6,35 to 35,71 mm	NUCLEAR POWER PLANT
2016	EDF - UTO AMELIORATION PARK CENTRALES NUCLEAIRES EDF	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL	Z2CN18.10 RCCM	FITTINGS PIPES Ø from 88,9 to 406,4mm W.th from 2,11 to 6,35 mm	NUCLEAR POWER PLANT
2016	AREVA NP FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND18.12 RCC-M	FITTINGS Ø 8"	NUCLEAR POWER PLANT
2015	CNIM REACTEUR JULES HOROWITZ (RJH)	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	X2CrNiMo 17.12.2 RCC-Mx	FITTINGS Ø 8" Sch. 40	NUCLEAR POWER PLANT
2015	CNIM	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND 17.12 RCC-M	FOND GRC Ø 24"	NUCLEAR POWER PLANT
2015	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH RCC-M	PIPES Ø 16"	NUCLEAR POWER PLANT (REVAMPING)
2015	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	TU 48C	PIPES Ø 16" W.th from 14,20 mm	NUCLEAR POWER PLANT (REVAMPING)
2015	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	TU 48C	FITTINGS Ø 22" W.th from 15,88 mm	NUCLEAR POWER PLANT (REVAMPING)
2014	MANGIAROTTI S.P.A. STEAM GENERATOR (RSG) TO WESTINGHOUSE ELECTRIQUE FRANCIA (WEF)	ITALY	FRANCE	NUCLEAR POWER	STAINLESS STEEL	Z2CN18.10 RCC-M	FITTINGS Ø from 10" to 16" W.th 12,7 mm BENDING PIPE Ø 10" W.th 12,7 mm	NUCLEAR POWER PLANT
2014	MITSUBISHI HEAVY INDUSTRIES, LTD FOR PRIO - RINGHALS UNITS 2 & 3 PRIMARY PIPING CIRCUIT	JAPAN	SWEDEN	NUCLEAR POWER	STAINLESS STEEL	ASME SA403 ASME SA312 WP TP 316L ASME SA182 F316 WITH LOW COBALT CONTENT	PIPES FITTINGS Ø from 4" to 14" W.th from 11,13 to 35,71 mm for spool pieces or pressurizes primary piping circuit	NUCLEAR POWER PLANT
2014	AREVA NP FOR PROJECT OLKILUOTO 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P355NH	FITTINGS Ø 6" W.th. 6,02 mm	NUCLEAR POWER PLANT
2014	TIOGA PIPE SUPPLY COMPANY, INC. WOLF CREEK GENERATING STATION	USA	USA	NUCLEAR POWER	CARBON STEEL	ASME SA234 WPB	FITTINGS Ø 24" W.th 9,52 mm	NUCLEAR POWER PLANT
2014	BUHLMANN FRANCE S.A.S. CRUAS NUCLEAR POWER PLANT FOR EDF	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL	P295 GH	FITTINGS Ø from 20" to 36" W.th from 7 to 12,7 mm	NUCLEAR POWER PLANT
2014	PUNJ LLOYD LTD KAKRAPAR + RAJASTHAN ATOMIC POWER PLANT	INDIA	INDIA	NUCLEAR POWER	CARBON STEEL	ASME SA333 GR.6	BENDS Ø from 8" to 24" W.th from 18,26 to 50 mm	NUCLEAR POWER PLANT
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	PIPES Ø from 4" to 18" W.th from 8,56 mm to 23,83 mm	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND18.12 N2	FITTINGS Ø 12" W.th 28,58 mm	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO RRA	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND18.12 N2 Z2CND17.12	PIPES FITTINGS Ø from 4" to 12" W.th from 6,02 to 10,31 mm	NUCLEAR POWER PLANT (REVAMPING)
2013	AREVA TA REACTEUR JULES HOROWITZ (RJH) MARCHE D07 - LOTS D06 - C07	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	X2CrNiMo 17.12.2 (316L) RCC-Mx ESPN N1	PIPES FITTINGS Ø from 16" to 24" W.th. from 9,53 to 15 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
2013	AREVA TA REACTEUR JULES HOROWITZ (RJH) MARCHE D07 - LOTS D06 - C07	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	X2CrNiMo 17.12.2 (316L) RCC-Mx N1-N2-N3 ESPN N2	PIPES FITTINGS Ø from 16" to 24" W.th. from 9,53 to 15 mm	NUCLEAR POWER PLANT
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 Z2CND18.12N2	FITTINGS Ø from 4" to 12"	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 RCC-M	WELDED PIPES Ø 14"	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10	FITTINGS Ø 2" SCH.160	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	TU 48C	FITTINGS Ø 20"	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	FITTINGS Ø 4"	NUCLEAR POWER PLANT (REVAMPING)
2013	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 Z2CND17.12	FITTINGS Ø 12"	NUCLEAR POWER PLANT (REVAMPING)
2013	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD FOR TAISHAN NUCLEAR POWER STATION PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL HIGH YIELD STEEL STAINLESS STEEL	Z2CN18.10 Z2CND18.12 Z2CND17.12 TU 42C A48-AP P265GH P355NH	PIPES FITTINGS Ø from 1/4" to 36" W.th from 2,24 to 25,4 mm	NUCLEAR POWER PLANT
2013	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD TAISHAN NUCLEAR POWER STATION BATCH 5 - Q3	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL	P265GH	PIPES FITTINGS Ø from 1/2" to 28" W.th from 2,9 to 25 mm	NUCLEAR POWER PLANT
2013	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD TAISHAN NUCLEAR POWER STATION BATCH 5 - Q1 + Q2	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL	TU 42C P355NH	PIPES FITTINGS Ø from 1/2" to 12" W.th from 3,38 to 18,26 mm	NUCLEAR POWER PLANT
2013	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD TAISHAN NUCLEAR POWER STATION BATCH 4' - Q3	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL	GR. 1-0425	PIPES FITTINGS Ø from 1/2" to 36" W.th from 2,9 to 14 mm	NUCLEAR POWER PLANT
2013	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD TAISHAN NUCLEAR POWER STATION BATCH 4' - Q1 + Q2	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	P265GH P355NH TU-42C Z2CN18.10 Z2CND17.12	PIPES FITTINGS Ø from 1/2" to 32" W.th from 2,77 to 21,44 mm	NUCLEAR POWER PLANT
2013	JEONGWOO INDUSTRIAL MACHINE CO., LTD FOR BARAKAH 1,2,3,4	SOUTH KOREA	SUADI ARABIA	NUCLEAR POWER	CARBON STEEL ALLOY STEEL	ASTM A234 WPB ASTM A234 WPC ASTM A234 WP22 CL.1	FITTINGS Ø from 18" to 59,75" W.th from 9,52 to 59,53 mm	NUCLEAR POWER PLANT
2013	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD FOR TAISHAN NUCLEAR POWER STATION PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL HIGH YIELD STEEL STAINLESS STEEL	Z2CN1810 Z2CND1812 Z2CND1712 TU 42C A48-AP P265GH P355NH	PIPES FITTINGS Ø from 1/4" to 36" W.th from 2,24 to 25,4 mm	NUCLEAR POWER PLANT
2013	STATE NUCLEAR POWER ENGINEERING CORPORATION LTD FOR AP 1000 SANMEN NPP UNIT 1 & 2	CHINA	CHINA	NUCLEAR POWER	ALLOY STEEL CARBON STEEL STAINLESS STEEL	ASME SA182 GR.F11 CL.2 ASTM A105 ASTM A182 GR.F304L ASTM B366 WP6XN (UNS N08367) ASTM B462 WP6XN (UNS N08367)	SWEEPOLETS VESSELETS FORGED FITTINGS BUTT WELDING FITTINGS Ø from 3" to 38" W.th from 4,55 to 38,1 mm	NUCLEAR POWER PLANT
2013	STATE NUCLEAR POWER ENGINEERING CORPORATION LTD AP 1000 HAIYANG NPP UNITS 1&2	CHINA	CHINA	NUCLEAR POWER	ALLOY STEEL CARBON STEEL STAINLESS STEEL NICKEL ALLOY	ASME SA182 GR.F11 CL.2 ASTM A105 ASTM A182 GR.F304L ASTM B366 WP6XN (UNS N08367) ASTM B462 WP6XN (UNS N08367)	SWEEPOLETS VESSELETS FORGED FITTINGS BUTT WELDING FITTINGS Ø from 1" to 38" W.th from 4,55 to 38,1 mm	NUCLEAR POWER PLANT
2013	STATE NUCLEAR POWER ENGINEERING CORPORATION LTD FOR AP 1000 HAIYANG NPP UNITS 1&2	CHINA	CHINA	NUCLEAR POWER	ALLOY STEEL CARBON STEEL STAINLESS STEEL NICKEL ALLOY	ASME SA182 GR.F11 CL.2 ASTM A105 ASTM A182 GR.F304L ASTM B366 WP6XN (UNS N08367) ASTM B462 WP6XN (UNS N08367)	SWEEPOLETS VESSELETS FORGED FITTINGS BUTT WELDING FITTINGS Ø from 1" to 38" W.th from 4,55 to 38,1 mm	NUCLEAR POWER PLANT
2013	SUNG IL CO., LTD (SIM)-BARAKAH #1,2,3,4 NUCLEAR POWER PLANT FOR SUNG-IL	SOUTH KOREA	UAE	NUCLEAR POWER	ALLOY STEEL CARBON STEEL STAINLESS STEEL	ASME SA403 WP304 ASME SA403 WP 316 ASME SA234 WP22 Cl.1 ASME SA234 WPC	FITTINGS Ø from 6" to 32,311" W.th from 18,26 to 47,02 mm	NUCLEAR POWER PLANT
2013	SUNG IL CO., LTD (SIM)-SHIN-ULCHIN NUCLEAR POWER PLANT 1 & 2 FOR SUNG IL	SOUTH KOREA	SOUTH KOREA	NUCLEAR POWER	ALLOY STEEL CARBON STEEL STAINLESS STEEL	ASME SA234 WP22 Cl.1 ASME SA234 WPB ASME SA234 WPC	FITTINGS Ø from 6" to 59,75" W.th from 18,26 to 59,53 mm	NUCLEAR POWER PLANT
2012	ALYNOX ALCEN FOR ALSTOM	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND17.12 (1.4404) RCC-M	PIPES Ø 16"-20"-28" W.th 9,53 mm	NUCLEAR POWER PLANT
2012	ALYNOX ALCEN FOR ALSTOM	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND17.12 (1.4404) RCC-M X2CRNIMO17.12.2 (1.4404)	FITTINGS Ø from 12" to 28" W.th from 9,53 to 12 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
2012	AREVA NP FOR PROJECT OLIKILUOTO 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	PIPES Ø 16"	NUCLEAR POWER PLANT
2012	AREVA NP FOR FESSENHEIM PROJECT	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND18.12N RCC-M Z2CN18.10 RCC-M	FITTINGS Ø from ½" to 12"	NUCLEAR POWER PLANT (REVAMPING)
2012	AREVA UDDCOMB	SWEDEN	SWEDEN	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	ASME SECT.III NB - SA403 WP316L WITH LOW COBALT CONTENT	FITTINGS Ø from 8" to 10"	NUCLEAR POWER PLANT (REVAMPING)
2012	E.D.F. - UTO RRA	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 Z2CND17.12	PIPES FITTINGS Ø from 2" to 16"	NUCLEAR POWER PLANT (REVAMPING)
2012	E.D.F. - UTO (CIRCUIT SECONDAIRE PRINCIPAL) MINES	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH RCC-M	PIPES FITTINGS Ø from 10" to 16"	NUCLEAR POWER PLANT (REVAMPING)
2012	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	A234 WPB A106 Gr.B	PIPES FITTINGS Ø 26"	NUCLEAR POWER PLANT (REVAMPING)
2012	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 RCC-M	PIPES Ø 2"	NUCLEAR POWER PLANT (REVAMPING)
2012	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	TU 48C TU 42B	FITTINGS Ø from 8" to 22"	NUCLEAR POWER PLANT (REVAMPING)
2012	YANGJIANG NUCLEAR POWER CO., LTD FOR YANGJIANG NUCLEAR POWER PLANT UNIT 3 (1000 MWe)	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	SUPERPIPING Ø 812,8 mm W.th 46,00 mm	NUCLEAR POWER PLANT
2012	B.F. SHAW CO. FOR WESTINGHOUSE AP1000 VOGTLE	USA	USA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	SA234 WPB SA403 WP304L SA403 WP316LN SA420 GR.WLP6	FITTINGS Ø from 33,4 to 914,4 mm W.th from 4,55 to 50,01 mm	NUCLEAR POWER PLANT
2012	E.D.F. - UTO CPP (CIRCUIT PRIMAIRE PRINCIPAL)	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.12N RCC-M NIV. 1	FITTINGS Ø 14" W.th SCH 140	NUCLEAR POWER PLANT (REVAMPING)
2012	BHARAT HEAVY ELECTRICALS LIMITED KAKRAPAR+RAJASTHAN ATOMIC POWER PLANT	INDIA	INDIA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	ASME Section III Sub-Section NB SA420 GR. WPL6	FITTINGS Ø ¾" W.th from 4 to 5 mm	NUCLEAR POWER PLANT
2012	PUNJ LLOYD LTD FOR NPCIL KAKRAPAR (KAPP 3&4) ATOMIC POWER PLANT (Indian PHWR)	INDIA	INDIA	NUCLEAR POWER	LOW TEMPERATURE CARBON STEEL	ASME SA333 GR.6 ASME Section III Class NB	PIPES O.D. from ½" to 26" W.th from 3,73 to 17,48 mm	NUCLEAR POWER PLANT
2012	PUNJ LLOYD LTD FOR NPCIL RAJASTHAN (RAPP 7&8) ATOMIC POWER PLANT (Indian PHWR)	INDIA	INDIA	NUCLEAR POWER	LOW TEMPERATURE CARBON STEEL	ASME SA333 GR.6 ASME Section III Class NB	PIPES O.D. from ½" to 26" W.th from 3,73 to 17,48 mm	NUCLEAR POWER PLANT
2011	AREVA NP FOR PROJECT OLIKILUOTO 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P355NH RCC-M	PIPES Ø from 4" to 10"	NUCLEAR POWER PLANT
2011	DAELIM INDUSTRIAL CO., LTD FOR ULCHIN UNIT 1 & 2 STEAM GENERATOR REPLACEMENT (SGR) PROJECT	SOUTH KOREA	SOUTH KOREA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	ASME SA182 GR.F316 ASME SA182 GR.F304L ASME SA182 GR.F22 ASME SA105	FITTINGS Ø ¾"-1"	NUCLEAR POWER PLANT
2011	GMES ENDEL - BOCCARD MANDAIRE FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	P265GH RCC-M N1 X2CrNiMo 17.12.2 X2CrNi 18.09	FITTINGS Ø from 6" to 12"	NUCLEAR POWER PLANT
2011	GMES ENDEL - BOCCARD MANDAIRE FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	P265GH X2CrNiMo 17.12.2 X2CrNi 18.09	FITTINGS Ø from 6" to 20"	NUCLEAR POWER PLANT
2011	CHINA NUCLEAR ENERGY INDUSTRY CORPORATION FOR TIANWAN NUCLEAR POWER	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	AE250B1 TU 42C P265GH P280GH P295GH TU 42C	FITTINGS Ø from 73 to 355,6 mm W.th from 3,18 to 21,44 mm	NUCLEAR POWER PLANT
2011	SKODA JS AS FOR UNIT III OF THE FLAMANVILLE NUCLEAR POWER PLANT	CZECH REPUBLIC	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 RCC-M	FITTINGS Ø from 21,3 to 48,3 mm W.th 2 mm	NUCLEAR POWER PLANT
2011	CHINA NUCLEAR POWER ENGINEERING COMPANY LTD FOR TIANWAN NUCLEAR POWER	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	HEADERS Ø 812,8 mm W.th 46 mm TEST MATERIAL FOR WELDING SPEC.	NUCLEAR POWER PLANT
2011	TAISHAN NUCLEAR POWER JOINT VENTURE CO., LTD FOR TAISHAN NUCLEAR POWER STATION	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	P355NH TU 42C Z2CN18.10 Z2CND17.12 Z2CND18.12 Z2CND18.12 1.0425 (P265GH)	PIPES FITTINGS Ø from 13,7 to 914,4 mm W.th from 2,24 to 28,58 mm	NUCLEAR POWER PLANT
2011	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR FANGJIAOSHAN PROJECT PHASE NUCLEAR PLANT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P265GH	FITTINGS Ø from 28" to 34" W.th 14,27 mm	NUCLEAR POWER PLANT
2011	FUJIAN NINGDE NUCLEAR POWER CO., LTD FOR GUANGXI FANGCHENGANG NUCLEAR POWER PLANT 1000 MWe	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	SUPERPIPING Ø 812,8 mm W.th 46,00 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
2011	B.F. SHAW CO. FOR WESTINGHOUSE AP1000 V.C. SUMMER	USA	USA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	SA234 WPB SA403 WP304L SA403 WP316LN SA420 GR.WLP6	FITTINGS Ø from 33,4 to 914,4 mm W.th from 4,55 to 50,01 mm	NUCLEAR POWER PLANT
2011	E.D.F. - UTO	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	TU 48C	FITTINGS Ø 20" W.th 13,00 mm	NUCLEAR POWER PLANT (REVAMPING)
2011	E.D.F. - UTO CPP (CIRCUIT PRIMAIRE PRINCIPAL)	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CN18.10 RCC-M NIV. 1	FITTINGS Ø 2" W.th SCH. 160	NUCLEAR POWER PLANT (REVAMPING)
2011	E.D.F. - UTO CSP (CIRCUIT SECONDAIRE PRINCIPAL)	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH NIV. 2	PIPES Ø 16" W.th 21,00 mm	NUCLEAR POWER PLANT (REVAMPING)
2010	GMES ENDEL - BOCCARD MANDATAIRE FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	P265GH X2CrNiMo 17.12.2 X2CrNi 18.09 X1NiCrMoCu 25.20.5	FITTINGS Ø from 1" to 8"	NUCLEAR POWER PLANT
2010	GMES ENDEL - BOCCARD MANDATAIRE FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	P265GH RCC-M N2 X2CrNi18.9 RCC-M N2	FITTINGS Ø from 10" to 14"	NUCLEAR POWER PLANT
2010	DAELIM INDUSTRIAL CO., LTD FOR ULCHIN UNIT 1 & 2 STEAM GENERATOR REPLACEMENT (SGR) PROJECT	SOUTH KOREA	SOUTH KOREA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	ASME SA350 LF2	FITTINGS Ø from 16" to 32" W.th from 21,44 to 35,00 mm	NUCLEAR POWER PLANT
2010	STATE NUCLEAR POWER ENGINEERING CO., LTD FOR AP1000 SANMEN PROJECT & HAIYANG PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	ASME SA106 GR.B	PIPES Ø 1" SCH. 80S	NUCLEAR POWER PLANT
2010	STATE NUCLEAR POWER ENGINEERING CO., LTD FOR AP1000 SANMEN PROJECT	CHINA	CHINA	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR)	SA403 WP316NL SA234 WP11 Cl. 1	FITTINGS Ø from 14" to 36" W.th from 9,52 to 50,01 mm	NUCLEAR POWER PLANT
2010	STATE NUCLEAR POWER ENGINEERING CO., LTD FOR AP1000 HAIYANG PROJECT	CHINA	CHINA	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR)	SA403 WP316NL SA234 WP11 Cl. 1	FITTINGS Ø from 14" to 36" W.th from 9,52 to 50,01 mm	NUCLEAR POWER PLANT
2010	SKODA JS A.S. FOR NUCLEAR POWER PLANT PROJECT FLAMANVILLE 3 EPR	CZECH REPUBLIC	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND18.18-10 RCC-M2	FITTINGS Ø from 21,3 to 114,38 mm W.th from 2 to 8 mm	NUCLEAR POWER PLANT
2010	CHINA NUCLEAR ENERGY INDUSTRY CORPORATION FOR CHANGJIANG NUCLEAR POWER PROJECT TWO 650 MW _e UNITS	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	A42AP A42CP AE250B1 P265GH TU 42C RCC-M 2 & 3	FITTINGS Ø from 42,3 to 406,4 mm W.th from 3,18 to 24,44 mm	NUCLEAR POWER PLANT
2010	CHINA NUCLEAR ENERGY INDUSTRY CORPORATION FOR CHANGJIANG NUCLEAR POWER PROJECT TWO 650 MW _e UNITS	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	SUPERPIPING O.D. 812,8 W.th 46,00 mm	NUCLEAR POWER PLANT
2010	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR FUJING PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P265GH	FITTINGS Ø from 28" to 34" W.th from 7,92 to 9,52 mm	NUCLEAR POWER PLANT
2010	B.F. SHAW CO. FOR AP1000 VOGTLE UNIT 3 & 4	USA	USA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR)	A234 WPB A234 WP11	FITTINGS Ø from 6" to 42" W.th from 7,11 to 48,03 mm	NUCLEAR POWER PLANT
2010	B.F. SHAW CO. FOR AP1000 SUMMER UNIT 2 & 3	USA	USA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR)	A234 WPB A234 WP11	FITTINGS Ø from 6" to 42" W.th from 7,11 to 48,03 mm	NUCLEAR POWER PLANT
2010	E.D.F. - UTO CSP (CIRCUIT SECONDAIRE PRINCIPAL)	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH NIV. 2	FITTINGS PIPES Ø from 4" to 10" W.th SCH. 80	NUCLEAR POWER PLANT (REVAMPING)
2010	E.D.F. - UTO CSP (CIRCUIT SECONDAIRE PRINCIPAL)	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH NIV. 2	FITTINGS Ø 10" x 8" W.th SCH 100	NUCLEAR POWER PLANT (REVAMPING)
2009	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR TAISHAN NUCLEAR POWER STATION	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	TU42.C - P355NH Z2CN18.10 - Z2CND18.12 Z2CND17.12	PIPES FITTINGS Ø from 1/2" to 12" W.th from 2,77 to 28,58 mm	NUCLEAR POWER PLANT EPR (2x1600 MW)
2009	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR FUJING PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	SUPERPIPING O.D. 812,8 W.th 46,00 mm	NUCLEAR POWER PLANT
2009	CHINA NUCLEAR ENERGY INDUSTRY CORPORATION FOR FANGJIAZHAN PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	SUPERPIPING O.D. 812,8 W.th 46,00 mm	NUCLEAR POWER PLANT
2009	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR TAISHAN NUCLEAR POWER STATION	CHINA	CHINA	NUCLEAR POWER	ALLOY STEEL (NUCLEAR) CARBON STEEL (NUCLEAR)	10CRMO9.10 C22.8 P235GH P265GH	PIPES FITTINGS Ø from 3" to 40" W.th from 4,00 to 22,2 mm	NUCLEAR POWER PLANT
2009	SAEHAN ENTECH CO., LTD FOR SHIN-KORI NUCLEAR POWER PLANT UNIT 3 & 4	SOUTH KOREA	SOUTH KOREA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR)	ASME SA420 WPL6 ASME SA403 WP304 ASME SA234 WP22 CL.1	FITTINGS Ø from 6" to 24" W.th from 8,18 to 59,54 mm	NUCLEAR POWER PLANT
2009	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR FANGJIAZHAN PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P265GH	FITTINGS Ø from 18" to 36" W.th from 6,35 to 14,27 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
2009	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR FUJING PROJECT	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P265GH	FITTINGS Ø from 18" to 36" W.th from 6,35 to 14,27 mm	NUCLEAR POWER PLANT
2009	CHINA NUCLEAR POWER ENGINEERING CO., LTD FOR TAISHAN NUCLEAR POWER STATION PROJECT	CHINA	CHINA	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	Z2CND18.12NZ Z2CND17.12	FORGED FITTINGS MIXING TEES Ø 8" W.th from 12,7 mm	NUCLEAR POWER PLANT
2009	AREVA NP FOR FESSENHEIM PROJECT	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	FITTINGS Ø 16" W.th 21,44 mm	NUCLEAR POWER PLANT (REVAMPING)
2009	GUANGDONG TAISHAN NUCLEAR POWER CO., LTD (TSNPC) FOR TAISHAN NUCLEAR POWER STATION	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P355NL P355QH	FITTINGS Ø from 14" to 32" W.th from 22,2 to 59,2 CONNECTING PARTS DN 500 & DN 750	NUCLEAR POWER PLANT
2008	AREVA NP FOR PROJECT KOEBERG BATCH 3	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	ASTM A403 WP316L ASTM A403 WP304L	PIPES FITTINGS Ø from ½" to 3" W.th from 4,78 to 11,13	NUCLEAR POWER PLANT
2008	AREVA NP FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	A42 AP - TU42.C - P355NH	VARIOUS FITTINGS Ø from ½" to 4" W.th from 4,78 to 11,13 mm	NUCLEAR POWER PLANT
2008	AREVA NP FOR CENTRAL NUCLEAR POUR PALIER FRANCE	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	P280GH	VARIOUS FITTINGS Ø 16" W.th from 21,44 to 30,96 mm	NUCLEAR POWER PLANT
2008	LIAONING HONGYANHE NUCLEAR POWER CO., LTD LIAONING HONGYANHE NUCLEAR POWER PHASE I - 2 SETS OF 1000 MWe CLASS PWR	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1144 P280GH	MAIN STEAM SUPERPIPES (HEADERS) Ø 32" W.th 46 mm	NUCLEAR POWER PLANT (2x1000 MW)
2008	FUJIAN NINGDE NUCLEAR POWER CO., LTD FOR FUJIAN NINGDE NUCLEAR POWER PHASE I - 2 SETS OF 1000 MW CLASS PWR	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1144 P280GH	MAIN STEAM SUPERPIPES (HEADERS) Ø 32" W.th 46 mm	NUCLEAR POWER PLANT (1x1000 MW)
2008	GMES ENDEL - BOCCARD MANDATAIRE FOR COMMUN ENDEL PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	P265GH - P280GH - Z2CND17.12 Z2CN 18.10 X2CrNi18.09 X2CrNiMo17.12.2	FITTINGS Ø from ½" to 32" W.th from 2,77 to 14,2 mm	NUCLEAR POWER PLANT
2007	AREVA NP FOR PROJECT OLKILUOTO 3 EPR	FRANCE	FINLAND	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND17.12	SPECIAL TEES (MIXING TEES)	NUCLEAR POWER PLANT
2007	AREVA NP FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND17.12	SPECIAL TEES (MIXING TEES)	NUCLEAR POWER PLANT
2007	AREVA NP FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NF EN 10216-3, EN 10222-4 P355 NH	PIPES SPECIAL ELBOWS EXTRUDED PIPES Int Ø 680 mm W.th from 40 to 60 mm	NUCLEAR POWER PLANT
2007	AREVA NP FOR PROJECT FLAMANVILLE 3 EPR	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CN18.10 Z2CND18.12N2	FITTINGS Ø from 10" to 14" W.th up to 28,58 mm	NUCLEAR POWER PLANT
2006	STORK - MEC BELGIUM FOR NUCLEAR PLANT DOEL	BELGIUM	BELGIUM	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	ASME SA105	PIPES FLANGES Ø from 4" to 14" W.th from 6,02 to 10,31 mm	NUCLEAR POWER PLANT
2006	SPIE NUCLEAIRE FRANCE FOR NUCLEAR PLANT DAMPIERRE FESSENHEIM	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NFA 49213 TU 48.C	PIPES VARIOUS FITTINGS Ø from 3" to 22" W.th from 5,49 to 32 mm	NUCLEAR POWER PLANT
2006	ESSINOX FRANCE FOR NUCLEAR POWER PLANTS	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CN18.10 (NIV. 1 - MINES)	ELBOWS TEES Ø 2" W.th 8,74 mm	NUCLEAR POWER PLANT
2006	ELECTRABEL FOR NUCLEAR POWER PLANT DOEL & THANGE	BELGIUM	BELGIUM	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	ASME SA105 ASME SA106 GRB ASME SA403 WP304L, WP316L ASME SA182 F304L, F316L	VARIOUS PIPES FITTINGS FLANGES Ø from ½" to 14" W.th from 1,65 to 11,13 mm	NUCLEAR POWER PLANT
2006	E.D.F. FOR NUCLEAR PLANT DAMPIERRE BLAYAIS	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NFA 49213 TU 48.C	PIPES VARIOUS FITTINGS Ø from 18" to 22" W.th from 13 to 14 mm	NUCLEAR POWER PLANT
2006	CHINA NUCLEAR ENERGY INDUSTRY CORPORATION QINSHAN NUCLEAR POWER PROJECT PHASE II - PLANT (2x650 MW)	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1144 P280GH	MAIN STEAM SUPERPIPES (HEADERS) Ø 32" W.th 46 mm	NUCLEAR POWER PLANT (2x650 MW)
2005	LING DONG NUCLEAR POWER CO. FOR LING AO NUCLEAR POWER STATION - PHASE II (2x1000 MW)	CHINA	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M3304, M3317 Z2CN18.10, Z2CND18.12N2 Z2CND17.12, NF EN 10216-2, P265GH RCC-M M1144 P280GH RCC-M M1141 TU42.C RCC-M M1151 AE250B1	VARIOUS FITTINGS Ø from ½" to 32" SUPER PIPES (MANIFOLDS) RCC-M CLASS 1 - 2 - 3	NUCLEAR POWER PLANT (2 x1000 MW)
2005	FRAMATOME - ANP FOR NUCLEAR POWER PLANT OLKILUOTO 3 EPR	FRANCE	FINLAND	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NF EN 10216-3, EN 10222-4 P355NH	PIPES SPECIAL ELBOWS EXTRUDED PIPES Int Ø 680 mm W.th from 40 to 60 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
2005	FRAMATOME - ANP FOR NUCLEAR POWER PLANT OLKILUOTO 3 EPR	FRANCE	FINLAND	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CN18.10 Z2CND18.12N2	FITTINGS Ø from 2" to 14" W.th up to 28,58 mm	NUCLEAR POWER PLANT
2005	FRAMATOME - ANP FOR NUCLEAR POWER PLANT BUGEY 2 & 4	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1144 P280GH	SPECIAL ELBOWS Ø 16" W.th 21,4 mm	NUCLEAR POWER PLANT
2005	AMEC SPIE THERMATOME FOR NUCLEAR POWER PLANT GRAVELINES	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NFA 49213 TU 48.C	FITTINGS Ø from 22" to 32" W.th from 14,00 to 45,00 mm	NUCLEAR POWER PLANT
2005	AMEC SPIE BELGIUM FOR NUCLEAR POWER PLANT DOEL 3 & 4	BELGIUM	BELGIUM	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	ASTM A403 WP316L	PIPES VARIOUS FITTINGS Ø from ¾" to 4" W.th from 2,87 to 5,16 mm	NUCLEAR POWER PLANT
2004	FRAMATOME - ANP FOR NUCLEAR POWER PLANT	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3304, M3317 Z2CND18.12N2	PIPES FITTINGS Ø 4" W.th 13,40 mm	NUCLEAR POWER PLANT
2004	FRAMATOME - ANP FOR NUCLEAR POWER PLANT	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND17.12	SPECIAL TEES Ø from 4" to 10" W.th from 6,02 to 9,27 mm	NUCLEAR POWER PLANT
2004	ESSINOX FRANCE FOR NUCLEAR POWER PLANTS	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU 48.C	PIPES FITTINGS Ø 16" W.th 41,20 mm	NUCLEAR POWER PLANT
2004	ELECTRABEL FOR NUCLEAR POWER PLANT DOEL & TIHANGE	BELGIUM	BELGIUM	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	ASME SA105 ASME SA106 GRB ASME SA403 WP316L, WP304L	VARIOUS PIPES FITTINGS FLANGES Ø from ¾" to 24" W.th from 5,54 to 12,70 mm	NUCLEAR POWER PLANT
2004	AMEC SPIE THERMATOME FOR NUCLEAR POWER PLANT GRAVELINES	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NFA 49213 TU 48.C	ELBOWS Ø 24" W.th 14,00 mm	NUCLEAR POWER PLANT
2004	AMEC SPIE THERMATOME FOR NUCLEAR POWER PLANT	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NFA 49213 TU 48.C	FITTINGS Ø from 4" to 12" W.th from 11,00 to 21,00 mm	NUCLEAR POWER PLANT
2003	SPIE THERMATOME FOR NUCLEAR POWER PLANT DE FESSENHEIM	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	ASTM A234 WPB NFA 49213 TU 48. C	VARIOUS FITTINGS Ø from 4" to 20" W.th from 8,56 to 20 mm	NUCLEAR POWER PLANT
2003	FRAMATOME FOR NUCLEAR POWER PLANTS RRA	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND17.12	VARIOUS FITTINGS Ø from 4" to 10" W.th from 6,02 to 13,49 mm	NUCLEAR POWER PLANT
2003	FRAMATOME FOR NUCLEAR POWER PLANT CSP	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1122 A48AP	PIPES O.D. Ø from 4" to 10" W.th from 8,56 to 18,26 mm	NUCLEAR POWER PLANT
2003	FRAMATOME FOR NUCLEAR POWER PLANT CPP	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND18.12 N2	VARIOUS FITTINGS Ø from 3" to 6" W.th from 11,13 to 18,26 mm	NUCLEAR POWER PLANT
2003	ESSINOX FRANCE FOR FRENCH NUCLEAR POWER PLANTS ARE	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1124 M1149 P280GH	VARIOUS FITTINGS Ø 4" W.th up to 8,56 mm	NUCLEAR POWER PLANT
2003	ELECTRON FOR NUCLEAR POWER PLANT DOEL	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	ASTM A403 WP316L	PIPES VARIOUS FITTINGS Ø from ¾" to 4" W.th from 2,87 to 5,16 mm	NUCLEAR POWER PLANT
2003	E.D.F. FOR NUCLEAR POWER PLANT DE FESSENHEIM	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	NFA 49211 E250B NFA49213 TU 48.C	PIPES VARIOUS FITTINGS Ø from 4" to 26" W.th from 3,6 to 15,9 mm	NUCLEAR POWER PLANT
2002	NPC FOR TARAPUR ATOMIC POWER PLANT	INDIA	INDIA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) ALLOY STEEL (NUCLEAR)	ASTM A234 WPB, WP22 CL 3	Y-PIECES AND SPECIAL FITTINGS BASED ON CLIENT DWGS	NUCLEAR POWER PLANT
2001	FRAMATOME FRANCE FOR CIRCUIT RRA DF-UTO 1L2D060 186 D 602	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND17.12	PIPES FITTINGS Ø from 4" to 16"	NUCLEAR POWER PLANT
2001	ALSTOM FRANCE FOR CONVENTION PHENIX	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M MR RM 3317 Z2CND17.12N	REDUCERS SHELLS	NUCLEAR POWER PLANT
1999	FRAMATOME FRANCE FOR CIRCUIT CPP ET CSP E.D.F. UTO 183 E 30 - 187 D 260	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M1122 A48AP RCC-M M3317 Z2CND18.12 N	PIPES FITTINGS	NUCLEAR POWER PLANT
1999	FRAMATOME FRANCE FOR CIRCUIT CPP ET CSP	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M1149 TU42.C, TU 48.C RCC-M M3317 Z2CND1812 N2	VARIOUS FITTINGS Ø from 2" to 16"	NUCLEAR POWER PLANT
1998	FRAMATOME FOR LING-AO, TRANCHE 2	FRANCE	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M1143 TUE250B RCC-M M1141 TU 48.C, TU42.C RCC-M M3304 Z2CND18.12 N	FITTINGS Ø from 1" to 28" W.th up to 3,75 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
1998	FRAMATOME FOR LING-AO, CHINA TRANCHE 1-2	FRANCE	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU 48.C	STRAIGHT EXTRUDED PIPES Ø 812,8 mm W.th 46 mm	NUCLEAR POWER PLANT
1998	FRAMATOME FOR CONTRAT RRA N4 CIVAUX ET CHOOZ	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND18.10, Z2CND1812 N2	FITTINGS Ø from 4" to 10" W.th up to 9,27 mm	NUCLEAR POWER PLANT
1998	FRAMATOME FOR CONTRAT RRA N4 CIVAUX ET CHOOZ	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CND18.12N2	SPECIAL TEES Ø 10" LENGHT 1.270 mm	NUCLEAR POWER PLANT
1997	FRAMATOME LING - AO TRANCHE 1	FRANCE	CHINA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M1143 TUE250B RCC-M M1149 TU 48.C, TU42.C, A42CP RCC-M M3317 Z2CND18.12N2, Z2CND18.10	FITTINGS Ø from 1" to 28" W.th up to 31,75 mm	NUCLEAR POWER PLANT
1996	MANNESMANN FOR CARNOY CENTRALE NUCLEAIRE DE TIHANGE 2	BELGIUM	BELGIUM	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	ASME SA106 GR.B ASME SA234 WPB ASME SA105	PIPES ELBOWS FLANGES Ø from ½" to 6" W.th SCH 40	NUCLEAR POWER PLANT
1996	MANNESMANN ANLAGENBAU FOR TVOI PLANT	GERMANY	FINLAND	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	ASME SA403 WP316LN	TEES REDUCERS Ø from 8" to 16" W.th from 12 to 22 mm	NUCLEAR POWER PLANT
1996	FRAMATOME REVISION CENTRALES	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1122 A42AP RCC-M M1149 TU42.C	PIPES ELBOWS Ø 16" W.th from 21,44 to 26,2 mm	NUCLEAR POWER PLANT
1996	FABRICOM FOR TIHANGE 3 PISCINES STOCKAGE COMBUSTIBLE USE	BELGIUM	BELGIUM	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	ASME SA106 GR.B ASME SA234 WPB ASME SA182 ASME SA403	TEES REDUCERS ELBOWS FLANGES Ø from ¾" to 10" W.th from 2,31 to 9,27 mm	NUCLEAR POWER PLANT
1996	C.E.A. CE VALRHO FOR CENTRALE NUCLEAIRE DE PHENIX	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M MR RM 3317 Z2CND17.12, Z2CND17.12N	PIPES REDUCERS TEES ELBOWS Ø from ¾" to 28" W.th from 2,77 to 10 mm	NUCLEAR POWER PLANT
1995	TRACTEBEL FOR CENTRALE NUCLEAIRE DE DOEL 4 - REVISION DECEANALE	BELGIUM	BELGIUM	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	ASME SA312 TP304 ASME SA403 WP304	FITTINGS Ø from ¾" to 8" W.th up to 8,18 mm	NUCLEAR POWER PLANT
1995	GEALSTHOM FOR CENTRALE DE CIVAUX 2	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RRCEV ME 3344 Z2CN1810 RRCEV ME 1145 TU 48.C RRCEV ME 1121 A48AP	FITTINGS FLANGES Ø from 3" to 18" W.th from 3,6 to 40 mm	NUCLEAR POWER PLANT
1995	FRAMATOME FOR REMPLACEMENT DE GENERATEURS DE VAPEURS DE TN2	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1122 A48A, A42AP	FITTINGS Ø from 16" to 32" W.th up to 36,5 mm	NUCLEAR POWER PLANT
1995	CICO CENTRALE DE CIVAUX 2 CONTRAT B3621	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RRCEV ME 3344 - ME 3143 Z2CN1810 RRCEV ME 1145, ME 1141, ME 1140 TU 48.C, TU42.C RRCEV ME 1140 TU42.B	FITTINGS Ø from 3" to 48" W.th from 3 to 17 mm PIPES Ø from 3" to 24" W.th from 5,6 to 16 mm	NUCLEAR POWER PLANT
1995	C.E.A. FOR CENTRALE NUCLEAIRE PHENIX	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M MR RM 3317 Z2CND17.12N2	SPECIAL TEES Ø 18" & 20" W.th from 8 to 20 mm	NUCLEAR POWER PLANT
1994	SOUTH KOREA HEAVY INDUSTRIES CONSTRUCTION FOR ULCHIN	SOUTH KOREA	SOUTH KOREA	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	ASME SA403 WP304, WP316 ASME SA234 ASTM A234 WPB	FITTINGS Ø from 2" to 24"	NUCLEAR POWER PLANT
1994	GEALSTHOM FOR CENTRALE DE CIVAUX 1	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RRCEV ME 3344, 3143 Z2CN1810 RRCEV ME 1145, ME1141, ME 1140 TU 48.C RRCEV ME 1121 A48AP	FITTINGS FLANGES Ø from 3" to 18" W.th from 3,6 to 40 mm	NUCLEAR POWER PLANT
1994	FRAMATOME FOR CONTRACT PROGRAMME CENTRALE DE CIVAUX 2	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M1149 TU42.C RCC-M M3317 Z2CN1810, Z2CND18.12N2	FITTINGS Ø from 1" to 12" W.th up to 28,58 mm	NUCLEAR POWER PLANT
1994	FRAMATOME FOR CONTRACT PROGRAMME CENTRALE DE CIVAUX 2 TUYAUTERIES VAPEUR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU42.C, TU 48.C RCC-M M1122 A48AP	FITTINGS Ø from 3" to 32" W.th up to 35 mm	NUCLEAR POWER PLANT
1993	SPIE NUCLEAIRE FRANCE FOR BATIGNOLLES CENTRALE DE CIVAUX 1 ET 2 CONTRAT B3612	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CN18.10	FITTINGS Ø from 12" to 34" W.th up to 16 mm	NUCLEAR POWER PLANT
1993	SPIE NUCLEAIRE FRANCE FOR BATIGNOLLES CENTRALE DE CIVAUX 1 ET 2 CONTRAT B3612	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU42.C, TU 48.C RCC-M M1151 TU42.B RRCEV ME1122 A48APR	FITTINGS Ø from 6" to 30" W.th up to 32 mm	NUCLEAR POWER PLANT
1993	SPIE NUCLEAIRE FRANCE FOR BATIGNOLLES CENTRALE DE CIVAUX 1 ET 2 CONTRAT B3612	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1141 TU42.C, TU48C RCC-M M1143 TU42.B	PIPES Ø from 2" to 16" W.th from 5,6 to 20 mm	NUCLEAR POWER PLANT
1993	GREBAN FOR CENTRALE DE CIVAUX 2 CONTRAT B4291	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL (NUCLEAR)	RCC-M M3317 Z2CN18.10	FITTINGS Ø from ½" to 14" W.th up to 9,5 mm	NUCLEAR POWER PLANT
1993	GREBAN FOR CENTRALE DE CIVAUX 2 CONTRAT B4291	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1151 TU42.B RCC-M M1149 TU42.C	FITTINGS Ø from ½" to 28" W.th up to 12,7 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
1993	FRAMATOME FOR REMPLACEMENT CV BUGEY 5 ET GRAVELINES 1	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU48.C, TU42.C RCC-M M1122 A48AP	FITTINGS Ø from 6" to 32" W.th up to 36,5 mm PIPES Ø from 16" to 32" W.th up to 38 mm	NUCLEAR POWER PLANT
1993	FRAMATOME FOR CONTRAT PROGRAMME CENTRALE DE CIVAUX 1 ET 2 CLARINETTES EXTRUDEES	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU48.C	STRAIGHT EXTRUDED PIPES Ø 772 mm W.th 46 mm BEND EXTRUDED PIPES Ø 776 mm W.th 48 mm	NUCLEAR POWER PLANT
1992	CICO CENTRALE DE CIVAUX 1 CONTRAT B3621	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RRCEV ME 3345 Z2CN18.10 RRCEV ME 1145 TU48.C, TU42.C RRCEV ME 1140 TU42.B	FITTINGS Ø from 3" to 48" W.th from 3 to 17 mm PIPES Ø 3" to 16" W.th from 5,6 to 16 mm	NUCLEAR POWER PLANT
1992	FRAMATOME FOR CONTRAT PROGRAMME CENTRALE DE CIVAUX 1	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR) STAINLESS STEEL (NUCLEAR)	RCC-M M1149 TU42.C RCC-M M3317 Z2CN1810, Z2CND18.12N2	FITTINGS Ø from 2" to 12" W.th up to 28,58 mm	NUCLEAR POWER PLANT
1992	FRAMATOME FOR CONTRAT PROGRAMME CENTRALE DE CIVAUX 1 TUYAUTERIES VAPEUR	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1149 TU48.C, TU42.C RCC-M M1122 A48AP	FITTINGS Ø from 3" to 32" W.th up to 35 mm	NUCLEAR POWER PLANT
1992	GREBAN FOR CENTRALE DE CIVAUX 1 CONTRAT B4291	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL (NUCLEAR)	RCC-M M1151 TU42.B RCC-M M1149 TU42.C	FITTINGS Ø from 2" to 28" W.th up to 12,7 mm	NUCLEAR POWER PLANT
1992	MANNESMANN ANLAGENBAU FOR TVOI PLANT	GERMANY	FINLAND	NUCLEAR POWER	STAINLESS STEEL	ASME SA403 ASTM A403 WP316LN CL 1	TEES REDUCERS Ø from 6" to 12" W.th up to 22 mm	NUCLEAR POWER PLANT
1991	BABCOCK FOR MAANSHAN & KOUSHENG	GERMANY	TAIWAN	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASME SA403 WP304	FITTINGS Ø from 3" to 36" W.th SCH STD	NUCLEAR POWER PLANT
1991	EQUIPOS NUCLEARES FOR SIZEWELL B	SPAIN	UK	NUCLEAR POWER	STAINLESS STEEL	ASTM A403 WP316N	FITTINGS Ø from 4" to 12" W.th from 9,52 to 21,44 mm	NUCLEAR POWER PLANT
1991	NUCLEAR POWER CORPORATION OF INDIA FOR KAIGA 1 & 2	INDIA	INDIA	NUCLEAR POWER	CARBON STEEL	ASTM A234 WPB	ELBOWS TEES REDUCERS Ø from 16" to 28" W.th from 9,52 to 20,62 mm	NUCLEAR POWER PLANT
1990	CICO CENTRALE CHOOZ B2 CONTRAT EOF B3621	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	RRCEV ME 3345 Z2CN18.10 RRCEV ME 1145 TU48.C, TU42.C RRCEV ME 1140 TU42.B	FITTINGS Ø from 3" to 48" W.th from 3 to 17 mm PIPES Ø from 3" to 16" W.th from 5,6 to 16 mm	NUCLEAR POWER PLANT
1990	GEALSTHOM FOR CENTRALE DE CHOOZ B2	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	RRCEV ME 3317 Z2CN18.10 RRCEV ME 1149 TU48.C RRCEV ME 1143 TUE250B	FITTINGS FLANGES PIPES Ø from 3" to 18" W.th from 3,6 to 40 mm	NUCLEAR POWER PLANT
1990	GREBAN 7 FOR CENTRALE CHOOZ B2 CONTRAT B4291	FRANCE	FRANCE	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	RRCEV ME 3345 Z2CN18.10 RRCEV ME 1145 TU42.C RRCEV ME 1140 TU42.B	FITTINGS Ø from 1/2" to 28" W.th from 2,1 to 12,5 mm	NUCLEAR POWER PLANT
1985	MECANICA DE LA PENA BILBAO FOR VAL DE CABALLEROS SPAIN	SPAIN	SPAIN	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A403 WP304 ASTM A403 WP321H	FITTINGS Ø from 1" to 10" W.th up to 21,44 mm	NUCLEAR POWER PLANT
1985	ANSALDO TECNIMONT SNIA TECHNIT TECNIPETROL FOR PEC BRASIMONE ITALY	ITALY	ITALY	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A403 WP304L ASTM A403 WP316	FITTINGS Ø from 1/2" to 28" W.th up to 12,7 mm	NUCLEAR POWER PLANT
1984	ANSALDO FOR MONTALTO DI CASTRO 1+2 ITALY	ITALY	ITALY	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A430 WPL6 ASTM A403 WP304 ASTM A403 WP316	FITTINGS Ø from 3/4" to 28" W.th from 4,8 to 45 mm	NUCLEAR POWER PLANT
1983	KWU OFFENBACH FOR NECKARWESTEIM II GKN2 KONVOI EMSLAND WEST GERMANY	GERMANY	GERMANY	NUCLEAR POWER	CARBON STEEL ALLOY STEEL	10CRM0910, ST 35.8III	FITTINGS Ø from 3/4" to 28" W.th from 4,8 to 45 mm	NUCLEAR POWER PLANT
1983	ANSALDO FOR CERNAVODA ROMANIA	ITALY	ROMANIA	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A403 WP304	FITTINGS Ø from 6" to 48" W.th from 6,35 to 32 mm	NUCLEAR POWER PLANT
1982	DELATRE LEVIVIER FOR KNU1+KNU2+BNI 3 OF 900 MW KOREA	FRANCE	SOUTH KOREA	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	TU 42/48, Z2CN18.10	FITTINGS Ø from 3/4" to 28" W.th from 4,8 to 45 mm	NUCLEAR POWER PLANT
1982	MANNESMANN FOR TRILLO SPAIN	GERMANY	SPAIN	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL ALLOY STEEL	1.4541, 1.4301, RST 37.1, 15 MO 3	FITTINGS Ø from 3/4" to 36" W.th from 2,5 to 38 mm	NUCLEAR POWER PLANT
1982	MANNESMANN FOR VANDELLOS SPAIN	GERMANY	SPAIN	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A403 WP304L ASTM A403 WP316	FITTINGS Ø from 3/4" to 40" W.th from 4,8 to 60 mm	NUCLEAR POWER PLANT
1980	DEUTSCHE BABCOCK FOR OSKARSHAMN AND FORSMARK SWEDEN	GERMANY	SWEDEN	NUCLEAR POWER	CARBON STEEL ALLOY STEEL STAINLESS STEES	RST 37.1, 1.4541, 1.4301, 15 MO 3	FITTINGS Ø from 1/2" to 36" W.th from 3,5 to 65 mm	NUCLEAR POWER PLANT



YEAR OF SUPPLY	CUSTOMER PROJECT	CUSTOMER COUNTRY	PROJECT LOCATION	MARKET	MATERIAL	TYPE OF STEEL	PRODUCT SUPPLIED	PLANT
1978	MANNESMANN FOR LAGUNA VERDE 1+2 MEXICO	GERMANY	MEXICO	NUCLEAR POWER	CARBON STEEL	ASTM A234 WPB	FITTINGS Ø from 3/4" to 36" W.th from 3,5 to 45 mm	NUCLEAR POWER PLANT
1975	FABRICOM FOR DOEL AND TIHANGE BELGIUM	FRANCE	BELGIUM	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A403 WP304	FITTINGS Ø from 1/2" to 30" W.th from 3,9 to 25 mm	NUCLEAR POWER PLANT
1974	DELATTRE LEVIVIER CONTRACT PROGRAMME FOR 30 NUCLEAR POWER PLANTS OF 900 MW AND 19 NUCLEAR POWER PLANTS OF 1300 MW	FRANCE	FRANCE	NUCLEAR POWER	STAINLESS STEEL	Z3CND1712 Z2CN18.10	FITTINGS Ø from 3/4" to 18" W.th from 4,8 to 45 mm	NUCLEAR POWER PLANT
1972	ONTARIO HYDRO FOR BRUCE "A", "B" AND PICKERING	CANADA	CANADA	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A403 WP304L ASTM A403 WP316	FITTINGS Ø from 2" to 48" W.th from 4,5 to 65 mm	NUCLEAR POWER PLANT
1972	ANSALDO FOR CAORSO ITALY	ITALY	ITALY	NUCLEAR POWER	CARBON STEEL STAINLESS STEEL	ASTM A234 WPB ASTM A420 WPL6 ASTM A403 WP304	FITTINGS Ø from 1/2" to 36" W.th from 3,6 to 65 mm	NUCLEAR POWER PLANT

HISTORICAL PICTURES



Nuclear pieces produced in the seventies (Tectubi Raccordi historical photo archive)

ALLIED IN THE WORLD



TECTUBI RACCORDI S.p.A.

Headquarters

Via Roma, 150 - 29027 Podenzano (Piacenza) - Italy
 Tel. +39 0523 555311 - Fax +39 0523 559621
 info@tectubiraccordi.com - www.tectubiraccordi.com



To visit our website,
 scan the QR code
 with your smartphone



TECTUBI RACCORDI S.p.A.

Tectubi Raccordi S.p.A. is part of Allied International Group